

33-18-11F RECEIVED

WATER WELL REPORT FOR AN EXISTING WELL

FEB 0.8-2010

Dept of Ecology WR-NWRO

INSTRUCTIONS:

Use this form if an original water well report was NEVER filed or is MISSING from Ecology records. Greenwood Estates Water System ABA123C YOUR WELL MUST BE PROPERLY TAGGED PRIOR TO SUBMITTING THIS FORM. Please fill in all blanks as completely as

YOUR WELL MUST BE PROPERLY TAGGED PRIOR TO SUBMITTING THIS FORM. Please fill in all blanks as completely as possible. If information is not known leave blank. After completing, mail the original form to: WA State Department of Ecology, PO Box 47600, Olympia, WA, 98504-7600, ATTN: Marian Bruner.

CURRENT USE: Domestic Industrial Municipal	Unique Ecology Well ID Tag No
□ DeWater □ Irrigation □ Test Well □ Other	Water Right? If yes, attach copy ☐ Yes ☐ No
DIMENSIONS: Diameter of well inches.	Property Owner Name George Lambert
Depth of completed well	AVO 7:1X . T.
CONSTRUCTION DETAILS	Well Street Address 640 Tidewater Rd.
Liner installed ☐ Yes ☐ No ☐ Unknown	City Oak Harbor County: Island
Type: PVC	Tax Parcel No. R13311 - 274 - 2/80
Perforations ☐ Yes ☐ No 耳Unknown	An accurate location of your well is very important. The rownship, Range,
SIZE of perfsin, byin, and no, of perfsfromft toft.	An accurate location of your well is very important. The Township, Range, Section and 1/4, 1/4 can be found on your legal description or through yor
Screens: ☐ Yes ☐ No ☑ Unknown Mf's name	county assessor's office.
Type: ☐ Stainless Steel ☐ PVC ☐ Other	Sec Twn <mark>337/</mark> R EWM or Circle
Diam. Slot Size from ft. to ft.	www. one
Gravel/Filter Packed: ☐ Yes ☐ No ☐ Unknown	D C B A
Materials paced fromft. toft.	This square represents
Surface Seal: Yes No Unknown If know, to what depthft	E (F) G H one section of land, which is approx. 640
Materials used if	acres. Within this
known:	section, circle the letter that best represents the
PUMP: ☐ Yes ☐ No Mffir's Name	location of the well
Type:H.P	within this section.
WATER LEVELS: Land-surface elevation above mean sea	N
level 92 ft.	Latitude/Longitude Note: Section, Township, Range still REQUIRED
Static Level 90 ft. below top of casing Date measured	Lat Deg
Artesian pressurelbs. per square inch	Long Deg (22 Long Min/Sect 39. 99026
	□ GPS □ Survey
WELL TESTS: Drawdown is amount water level is lowered below static level.	☐ Topographic Map Computer Generated
Was a pump test made? ▼Yes □ No If yes, attach copy	Additional Information, if available:
□ Unknown	□ Location marked on topographic map (please attach)
Yield: 4 gal./min, with ft. drawdown after 4 hrs.	☐ Location marked on air photo (please attach)
CERTIFICATION: The information reported above is	true to the best of my knowledge and belief.
☐ Driller 🛕 🗆 Engineer 🗀 Property Owner 🥦 Other	
Name Vin Sherman	Drilling Company
	Address of person completing this form:
Driller License No. 15/and County Health	Def. 10 Box 5000
Driller License No. 15/and County Health Date Signed 2 February 2010	City, State, Zip Couperille, WA 9239

RECEIVED

FEB n 8 2010

Dept of Ecology WR-NWRO

